
























# OUTLINE TO GROUPS

<b>GROUP 1</b>	TREEFERNS.....11	
<b>GROUP 2</b>	CONIFERS WITH NARROW 1-MANY-VEINED LEAVES <i>or</i> LEAVES SCALE-LIKE <i>or</i> ABSENT .....13	
<b>GROUP 3</b>	PALMS, CYCADS <i>and</i> PALM LILIES .....16	
<b>GROUP 4</b>	LEAVES COMPOUND: BIPINNATE <i>or</i> TRIPINNATE .....19	
<b>GROUP 5</b>	LEAVES COMPOUND: PINNATE <i>or</i> PALMATE, WITH 2 <i>or</i> MORE LEAFLETS .....22	
<b>GROUP 6</b>	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: WHORLED ( <i>true whorls or pseudo-whorls</i> ).....66	
<b>GROUP 7</b>	LEAVES SIMPLE: PLANTS WITH PRICKLES, SPINES <i>or</i> THORNS.....77	
<b>GROUP 8</b>	LEAVES SIMPLE: ALTERNATE, MARGINS LOBED <i>or</i> ANGLED .....88	
<b>GROUP 9</b>	LEAVES SIMPLE: ALTERNATE <i>and either</i> PLANTS WITH STINGING HAIRS <i>or</i> LEAVES PELTATE <i>or</i> LEAVES ± ROUND TO BROAD-OVATE <i>and</i> WITH STAR HAIRS BELOW .....93	
<b>GROUP 10</b>	LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES, <i>either</i> MILKY LATEX PRESENT <i>and/or</i> LEAVES SANDPAPERY – Figs .....96	
<b>GROUP 11</b>	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE <i>and</i> MARGINS TOOTHED <i>or</i> CRENATE .....98	
<b>GROUP 12</b>	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE <i>and</i> WITH NUMEROUS TRANSLUCENT DOTS OR STREAKS (oil dots, coloured or clear dots or streaks) .....114	
<b>GROUP 13</b>	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE, TRANSLUCENT DOTS ABSENT.....135	
<b>GROUP 14</b>	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED <i>or</i> LOBED .....171	
<b>GROUP 15</b>	LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE (mostly with translucent dots).....179	
<b>GROUP 16</b>	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE <i>and</i> WITH TRANSLUCENT DOTS .....183	
<b>GROUP 17</b>	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE, WITHOUT TRANSLUCENT DOTS .....199	

## OUTLINE TO GROUPS AND SUBGROUPS

<b>GROUP 1</b>	<b>TREEFERNS</b>		<b>....11</b>
1.1	TRUNK A SINGLE STEM, LEAF BASES WITH SCALES .....		11
1.2	TRUNK A SINGLE STEM, LEAF BASES WITH SOFT HAIRS .....		11
1.3	LEAVES TUFTED AT APEX OF ± UNDERGROUND STEM.....		12
<b>GROUP 2</b>	<b>CONIFERS WITH NARROW 1–MANY-VEINED LEAVES or LEAVES SCALE-LIKE or ABSENT</b>		<b>.....13</b>
2.1	ADULT LEAVES USUALLY MORE THAN 1 cm LONG .....		13
2.2	ADULT LEAVES LESS THAN 1 cm LONG, SCALE-LIKE .....		14
2.3	LEAVES APPARENTLY ABSENT.....		15
<b>GROUP 3</b>	<b>PALMS, CYCADS and PALM LILIES</b>		<b>.....16</b>
3.1	PALMS .....		16
3.2	CYCADS .....		17
3.3	PALM LILIES.....		18
<b>GROUP 4</b>	<b>LEAVES COMPOUND: BIPINNATE or TRIPINNATE</b>		<b>.....19</b>
4.1	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and MORE THAN 1 cm WIDE .....		19
4.1.1	Leaflets opposite (at least the 2 at apex of each pinna) .....		19
4.1.2	Leaflets alternate (including uppermost ones on each pinna) .....		20
4.2	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and LESS THAN 1 cm WIDE .....		20
4.2.1	Leaflets more than 1 cm long .....		20
4.2.2	Leaflets less than 1 cm long .....		20
4.3	TERMINAL LEAFLETS PRESENT (at least on pinnae) .....		21
4.3.1	Terminal leaflets on leaf rachis and pinnae .....		21
4.3.2	Terminal leaflets present only on pinnae .....		21
<b>GROUP 5</b>	<b>LEAVES COMPOUND: PINNATE or PALMATE, WITH 2 or MORE LEAFLETS</b>		<b>.....22</b>
5.1	LEAFLETS 2 .....		22
5.1.1	Domatia present .....		22
5.1.2	Leaflets toothed .....		22
5.1.3	Leaflets entire, lower surface of leaflets very pale grey, bluish or grey-green .....		23
5.1.4	Leaflets entire, green on both surfaces .....		24
5.1.4A	Family Sapindaceae .....		24
5.1.4B	Other families .....		25
5.2	LEAFLETS 3: WITH DISTINCT TRANSLUCENT DOTS (oil dots) ( Family Rutaceae) .....		26

5.2.1	Terminal leaflet without a distinct petiolule .....	26
5.2.1A	<i>Leaflets hairless or almost so on both surfaces, not warty</i> .....	26
5.2.1B	<i>Leaflets distinctly hairy or warty</i> .....	28
5.2.2	Terminal leaflet with a distinct petiolule but without a joint at the apex of the petiolule.....	29
5.2.3	Terminal leaflet with a petiolule <i>and</i> with a joint near apex of the petiolule .....	30
<b>5.3</b>	<b>LEAFLETS 3: WITHOUT DISTINCT TRANSLUCENT DOTS .....</b>	<b>31</b>
5.3.1	Leaves alternate, leaflets entire .....	31
5.3.1A	<i>Most leaflets more than 3 cm long</i> .....	31
5.3.1B	<i>Leaflets less than 3 cm long</i> .....	32
5.3.2	Leaves opposite, leaflets entire .....	33
5.3.3	Leaves opposite, leaflets toothed .....	33
<b>5.4</b>	<b>LEAFLETS MORE THAN 3: LEAF RACHIS WINGED .....</b>	<b>34</b>
5.4.1	Leaflets toothed .....	34
5.4.2	Leaflets entire .....	35
<b>5.5</b>	<b>LEAFLETS MORE THAN 3: TRANSLUCENT DOTS PRESENT (oil dots or oil-like dots).....</b>	<b>36</b>
5.5.1	Dots mostly medium-sized to large; crushed leaves aromatic (Family Rutaceae) .....	36
5.5.1A	<i>Species of Flindersia</i> .....	36
5.5.1B	<i>Other genera, leaves opposite</i> .....	37
5.5.1C	<i>Other genera, leaves alternate, leaflets opposite</i> .....	38
5.5.1D	<i>Other genera, leaves alternate, leaflets alternate</i> .....	38
5.5.2	Translucent dots minute, sometimes irregular; crushed leaves not distinctly aromatic .....	39
5.5.2A	<i>Leaves with a true terminal leaflet</i> .....	39
5.5.2B	<i>Leaves without a true terminal leaflet</i> .....	40
<b>5.6</b>	<b>LEAFLETS MORE THAN 3: TRANSLUCENT DOTS ABSENT, <i>either</i> LEAVES PALMATE or LEAVES OPPOSITE or LEAFLETS DISSECTED-PINNATE (i.e. without regular broad leaflets) .....</b>	<b>40</b>
5.6.1	Leaves palmate .....	40
5.6.2	Leaves opposite, leaflets toothed .....	41
5.6.3	Leaves opposite, leaflets entire .....	42
5.6.4	Leaflets dissected-pinnate .....	42
<b>5.7</b>	<b>LEAFLETS 4–12: DOMATIA PRESENT, RACHIS NOT EXTENDED BEYOND LAST LEAFLET, TERMINAL LEAFLET PRESENT or ABSENT.....</b>	<b>43</b>
5.7.1	No exudates present in cut petioles .....	43
5.7.2	Milky or watery sap exuding from cut petioles .....	44
<b>5.8</b>	<b>LEAFLETS 4–12: DOMATIA PRESENT, TERMINAL LEAFLET ABSENT, RACHIS SHORTLY EXTENDED BEYOND LAST LEAFLET (most in Family Sapindaceae) .....</b>	<b>44</b>
5.8.1	Leaflets usually entire .....	44
5.8.2	Leaflets usually toothed .....	46
5.8.2A	<i>Leaflets less than 8</i> .....	46
5.8.2B	<i>Leaflets more than 8</i> .....	47

<b>5.9</b>	<b>LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP NOT PROJECTING BEYOND LEAFLETS, TERMINAL LEAFLET PRESENT or ABSENT .....</b>	<b>47</b>
5.9.1	Terminal leaflet present .....	47
5.9.1A	<i>Leaflets hairy or scaly .....</i>	47
5.9.1B	<i>Leaflets hairless, leafy stipules at base of the leaf .....</i>	48
5.9.1C	<i>Leaflets hairless; leafy stipules absent .....</i>	48
5.9.2	Terminal leaflet absent .....	49
5.9.2A	<i>Leaf rachis and/or petiole with at least 1 gland .....</i>	49
5.9.2B	<i>Leaf rachis and petiole without glands .....</i>	51
<b>5.10</b>	<b>LEAFLETS 4–12: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX BLUNT or NOTCHED (Family Sapindaceae) .....</b>	<b>52</b>
5.10.1	Leaflets more than 15 cm long .....	52
5.10.2	Leaflets 2–15 cm long, lower surface paler (green, whitish, yellowish or bluish green) .....	52
5.10.3	Leaflets 2–15 cm long, surfaces similar in colour .....	53
<b>5.11</b>	<b>LEAFLETS 4–12: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX ACUTE or BLUNTLY POINTED (Family Sapindaceae) .....</b>	<b>55</b>
5.11.1	Lower surface of leaflets greyish or whitish .....	55
5.11.2	Both surfaces of leaflets green, lower surface sometimes paler .....	55
5.11.2A	<i>Leaflets broad, mostly ovate, elliptic or obovate .....</i>	55
5.11.2B	<i>Leaflets narrow, mostly oblong to lanceolate or narrow-elliptic .....</i>	57
<b>5.12</b>	<b>LEAFLETS 4–8: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS TOOTHED (Family Sapindaceae) .....</b>	<b>58</b>
<b>5.13</b>	<b>LEAFLETS 9–50: MARGINS TOOTHED or LOBED .....</b>	<b>59</b>
5.13.1	Leaflets usually 9–18 (Family Sapindaceae).....	59
5.13.1A	<i>Domatia present .....</i>	59
5.13.1B	<i>Domatia absent .....</i>	60
5.13.2	Leaflets mostly more than 18 .....	60
<b>5.14</b>	<b>LEAFLETS 13–50: MARGINS ENTIRE, DOMATIA PRESENT (domatia sometimes small and inconspicuous) .....</b>	<b>61</b>
<b>5.15</b>	<b>LEAFLETS 13–50: MARGINS ENTIRE, DOMATIA ABSENT.....</b>	<b>62</b>
5.15.1	Terminal leaflet present .....	62
5.15.2	Terminal leaflet absent .....	63
5.15.2A	<i>Leaf petiole and/or rachis without glands .....</i>	63
5.15.2B	<i>Leaf petiole and/or rachis with at least 1 gland .....</i>	64
<b>GROUP 6</b>	<b>LEAVES SIMPLE or 1-FOLIOLATE: WHORLED (true whorls or pseudo-whorls)</b>	<b>66</b>
		
<b>6.1</b>	<b>LEAVES WHORLED: RESIN or MILKY LATEX PRESENT IN PETIOLES or TWIGS .....</b>	<b>66</b>
6.1.1	Resin present, translucent dots in leaves .....	66
6.1.2	Milky latex present, no translucent dots in leaves.....	67
<b>6.2</b>	<b>LEAVES WHORLED: RESIN and MILKY LATEX ABSENT, MARGINS TOOTHED .....</b>	<b>67</b>

**6.3 LEAVES WHORLED: MARGINS ENTIRE, FINE TRANSLUCENT DOTS PRESENT.....70**

6.3.1 Petioles less than 5 mm long, often reddish..... 70

6.3.2 Petioles more than 5 mm long, not red .....71

6.3.2A *Leaves 3-veined in basal half* ..... 71

6.3.2B *Leaves not 3-veined in basal half...* .....72

**6.4 LEAVES WHORLED: MARGINS ENTIRE, TRANSLUCENT DOTS ABSENT .....72**

6.4.1 Petioles more than 2 cm long.....72

6.4.2 Petioles less than 2 cm long .. .....73

6.4.2A *Lower surface of mature leaves distinctly hairy* .....73

6.4.2B *Lower surface of mature leaves hairless or almost so* .....74

**GROUP 7 LEAVES SIMPLE: PLANTS WITH PRICKLES, SPINES or THORNS**



**7.1 PLANTS WITH PRICKLES SCATTERED OVER BRANCHLETS and OFTEN OVER LEAVES.....77**

7.1.1 Leaves with margins regularly and finely toothed ..... 77

7.1.1A *Leaves alternate*..... 77

7.1.1B *Leaves opposite*..... 77

7.1.2 Leaves with margins entire, coarsely toothed or lobed ..... 77

7.1.2A *Plants prostrate, rooting at the nodes* .....77

7.1.2B *Prickles broad-based, often curved*..... 78

7.1.2C *Young branchlets with many simple or glandular hairs* ..... 78

7.1.2D *Adult leaves deeply lobed (cut more than halfway to midrib)* ..... 79

7.1.2E *Adult leaves not deeply lobed (cut less than halfway to midrib), lower leaf surface green (star hairs sparse to moderately dense)* ..... 79

7.1.2G *Adult leaves not deeply lobed (less than halfway to midrib), lower leaf surface white to fawn (star hairs dense to very dense)* ..... 80

**7.2 PLANTS WITH PAIRED SPINES AT THE BASE OF SOME LEAVES, LEAVES ALTERNATE.....82**

**7.3 PLANTS WITH AXILLARY THORNS and/or BRANCHLETS SPINOSE, LEAVES ALTERNATE or OPPOSITE .....83**

7.3.1 Leaves opposite, margins entire .....83

7.3.1A *Axillary spines present*.....83

7.3.1B *Branchlets spinose*.....84

7.3.2 Leaves opposite, margins toothed.....85

7.3.3 Leaves alternate, margins entire or almost so .....85

7.3.4 Leaves alternate, margins toothed or crenate .....87

**GROUP 8 LEAVES SIMPLE: ALTERNATE, MARGINS LOBED or ANGLED**




**8.1 LEAVES WITH MARGINS ANGLED .....88**

**8.2 LEAVES LOBED and 3-9-VEINED FROM BASE .....88**

8.2.1	Lower surface of leaves hairy.....	88
8.2.2	Leaves hairless .....	89
8.3	<b>LEAVES LOBED, VENATION PINNATE .....</b>	<b>90</b>

**GROUP 9**


**LEAVES SIMPLE: ALTERNATE *and either* PLANTS WITH STINGING HAIRS *or* LEAVES PELTATE *or* LEAVES ± ROUND TO BROAD-OVATE *and* WITH STAR HAIRS BELOW**



		<b>.....93</b>
9.1	<b>PLANTS WITH STINGING HAIRS .....</b>	<b>93</b>
9.2	<b>LEAVES PELTATE; STINGING HAIRS ABSENT.....</b>	<b>93</b>
9.2.1	Petiole attached towards centre of leaf.....	93
9.2.2	Petiole attached towards margin of leaf .....	94
9.3	<b>LEAVES NOT PELTATE; STAR HAIRS PRESENT .....</b>	<b>94</b>

**GROUP 10**

**LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES, MILKY LATEX PRESENT *and/or* LEAVES SANDPAPERY – Figs**




		<b>.....96</b>
10.1	<b>LEAVES SMOOTH ON UPPER SURFACE <i>and</i> MARGINS ENTIRE, SAP MILKY.....</b>	<b>96</b>
10.2	<b>LEAVES SANDPAPERY ON UPPER SURFACE, MARGINS ENTIRE, TOOTHED <i>or</i> LOBED, SAP WATERY <i>or</i> ± MLKY.....</b>	<b>97</b>

**GROUP 11**

**LEAVES SIMPLE *or* 1-FOLIOLATE: ALTERNATE, MARGINS TOOTHED *or* CRENATE**



		<b>.....98</b>
11.1	<b>LEAVES SIMPLE <i>and</i> ROUGH TO THE TOUCH .....</b>	<b>98</b>
11.2	<b>LEAVES SIMPLE <i>and</i> WITH A FEW SPINOSE TEETH .....</b>	<b>99</b>
11.3	<b>LEAVES 1-FOLIOLATE: DOMATIA PRESENT .....</b>	<b>99</b>
11.4	<b>LEAVES 1-FOLIOLATE: DOMATIA ABSENT .....</b>	<b>100</b>
11.5	<b>LEAVES SIMPLE: DOMATIA PRESENT .....</b>	<b>101</b>
11.6	<b>LEAVES SIMPLE: DOMATIA ABSENT <i>and either</i> HAIRLESS AND WHITISH BELOW <i>or</i> DISTINCTLY HAIRY BELOW .....</b>	<b>102</b>
11.6.1	Leaves hairless, lower surface whitish .....	102
11.6.2	Leaves hairy, lower surface silvery-white .....	102
11.6.3	Leaves hairy, green to pale green, not whitish .....	102
11.6.4	Leaves hairy, lower surface dull white, beige-white or grey to yellowish .....	103
11.6.5	Leaves hairy, lower surface brown-green to rusty.....	105
11.7	<b>LEAVES SIMPLE: 1–5 SMALL GLANDS NEAR JUNCTION OF PETIOLE <i>and</i> LAMINA .....</b>	<b>105</b>
11.8	<b>LEAVES SIMPLE: TERMINAL BUDS HAIRY <i>or</i> SCALY .....</b>	<b>106</b>
11.8.1	Buds hairy, not scaly .....	106
11.8.2	Buds scaly .....	107
11.9	<b>LEAVES SIMPLE: LACKING THE SPECIAL FEATURES OF GROUPS 11.1 to 11.8.....</b>	<b>110</b>
11.9.1	Petioles more than 1 cm long .....	110




11.9.2	Petioles less than 1 cm long .....	111
11.9.2A	<i>Most leaves less than 4 cm long</i> .....	111
11.9.2B	<i>Most leaves more than 4 cm long</i> .....	112
<b>GROUP 12</b>	<b>LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, ENTIRE and WITH NUMEROUS TRANSLUCENT DOTS or STREAKS (oil dots, coloured or clear dots or streaks)</b>	<b>.....114</b>
		
<b>12.1</b>	<b>LEAVES either WITH COLOURED DOTS or WITH PELTATE SCALES or STAR HAIRS ON LOWER SURFACE .....</b>	<b>114</b>
12.1.1	Leaves with coloured dots .....	114
12.1.2	Lower surface of leaves densely scaly (peltate scales silvery or brownish) .....	115
12.1.3	Lower surface of leaves with star hairs .....	116
<b>12.2</b>	<b>PETIOLES VERY SHORT, OFTEN RED, TERMINAL BUDS SOFT-SCALY, REDDISH .....</b>	<b>116</b>
<b>12.3</b>	<b>TRANSLUCENT DOTS and/or STREAKS MEDIUM-SIZED TO LARGE (often visible without a lens, use lens for thick leaves) .....</b>	<b>117</b>
12.3.1	Leaves usually more than 4 cm long .....	117
12.3.2	Leaves less than 4 cm long .....	120
<b>12.4</b>	<b>TRANSLUCENT DOTS MINUTE, STEMS ± ZIGZAG and LEAVES 2-RANKED.....</b>	<b>121</b>
<b>12.5</b>	<b>TRANSLUCENT DOTS MINUTE, LEAVES 3-VEINED and/or DOMATIA PRESENT.....</b>	<b>123</b>
12.5.1	Domatia present, leaves usually 3-veined .....	123
12.5.1A	<i>Leaves hairless or almost so</i> .....	123
12.5.1B	<i>Leaves usually distinctly hairy, especially on lower veins</i> .....	124
12.5.2	Domatia absent, leaves always 3-veined .....	124
12.5.2A	<i>Species in Family Lauraceae</i> .....	124
12.5.2B	<i>Species in other families</i> .....	125
<b>12.6</b>	<b>TRANSLUCENT DOTS MINUTE, LEAVES GLAUCCOUS ON LOWER SURFACE (Family Lauraceae) .....</b>	<b>126</b>
12.6.1	Leaves hairy on lower surface, especially on veins .....	126
12.6.2	Leaves hairless or almost so on lower surface .....	127
<b>12.7</b>	<b>TRANSLUCENT DOTS MINUTE, BASE OF LEAVES WITH 2 or MORE RAISED MARGINAL / SUBMARGINAL GLANDS .....</b>	<b>128</b>
<b>12.8</b>	<b>TRANSLUCENT DOTS MINUTE, LEAVES LACKING FEATURES OF GROUPS 12.4 to 12.7 .....</b>	<b>129</b>
12.8.1	Leaves less than 3 cm long .....	129
12.8.2	Leaves hairy on lower surface, especially on veins .....	130
12.8.3	Leaves hairless or almost so .....	131
12.8.3A	<i>Species widespread in N.S.W. and Queensland</i> .....	131
12.8.3B	<i>Species restricted in northern N.S.W. and southern Queensland</i> .....	133
12.8.3C	<i>Species confined to Queensland</i> .....	134

## GROUP 13

LEAVES SIMPLE *or* 1-FOLIOLATE: ALTERNATE,  
ENTIRE, TRANSLUCENT DOTS ABSENT

		.....	135
13.1	LEAVES WITH ONLY 1 VEIN <i>or</i> NO VEINS VISIBLE .....		135
13.1.1	Most leaves more than 4 cm long .....		135
13.1.2	Most leaves less than 4 cm long .....		135
13.2	LEAVES PALMATELY VEINED <i>or</i> WITH 2 <i>or</i> MORE LONGITUDINAL VEINS .....		137
13.2.1	Leaves palmately veined.....		137
13.2.2	Leaves relatively long <i>and</i> narrow .....		137
13.2.3	Leaves broader and usually less than 7 cm long .....		138
13.2.4	Leaves broader and usually more than 7cm long .....		139
13.2.4A	<i>Flowers in globose heads</i> .....		139
13.2.4B	<i>Flowers in elongated spikes</i> .....		140
13.3	LEAVES WITH 1 <i>or</i> MORE OF THE FOLLOWING FEATURES: 3-VEINED AT BASE; TRIANGULAR; WITH 1 <i>or</i> MORE BASAL, MARGINAL <i>or</i> SURFACE GLANDS ON LOWER SURFACE .....		141
13.3.1	Leaves triangular <i>and/or</i> 3-veined at base. ....		141
13.3.2	Leaves with 2 basal glands <i>or</i> scattered marginal glands .....		142
13.3.3	Leaves with numerous surface glands on lower surface .....		143
13.3.4	Leaves with 1 basal gland .....		143
13.4	<i>Either</i> LEAVES DENSELY HAIRY ON BOTH SURFACES <i>or</i> UPPER SURFACE $\pm$ HAIRLESS <i>and</i> LOWER SURFACE WITH WHITE <i>OR</i> COLOURED HAIRS (not colourless hairs) .....		144
13.4.1	Leaves densely hairy on both surfaces .....		144
13.4.2	Leaves with upper surface $\pm$ hairless, lower surface with white or coloured hairs .....		145
13.4.2A	<i>Most leaves less than 7 cm long</i> .....		145
13.4.2B	<i>Most leaves more than 7 cm long</i> .....		148
13.5	MILKY LATEX IN PETIOLES <i>or</i> BARK <i>or</i> BOTH (visible on cutting) .....		150
13.6	LEAVES WITH DOMATIA IN SOME VEIN ANGLES .....		152
13.7	DOMATIA ABSENT; LEAVES <i>either</i> PSEUDO-PINNATE <i>or</i> STRONGLY 2-RANKED; LOWER SURFACE <i>either</i> GREY, YELLOWISH GREY <i>or</i> YELLOWISH GREEN .....		153
13.7.1	Most leaves less than 3 cm long .....		153
13.7.2	Most leaves more than 3 cm long .....		154
13.8	TERMINAL BUDS SCALY (buds covered with small scale-like leaves) .....		157
13.8.1	Leaves rounded or cordate at base .....		157
13.8.2	Leaves gradually tapered into petiole .....		157
13.8.2	<i>Leaves small, usually less than 5 cm long</i> .....		157
13.8.2B	<i>Leaves narrow, usually relatively long and petiole often indistinct</i> .....		158
13.8.2C	<i>Leaves wider, petiole distinct.</i> .....		159
13.9	TERMINAL BUDS NOT SCALY .....		160
13.9.1	Leaf buds distinctly hairy .....		160



13.9.2	Leaf buds hairless <i>or</i> almost so .....	164
13.9.2A	Leaves 1-foliolate .....	164
13.9.2B	Leaves simple, mostly less than 5 cm long .....	165
13.9.2C	Leaves simple, mostly more than 5 cm long, petioles usually more than 3 cm long .....	166
13.9.2D	Leaves simple, mostly more than 5 cm long, firm to stiff .....	167
13.9.2E	Leaves simple, mostly more than 5 cm long, soft .....	169
<b>GROUP 14</b>	<b>LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED <i>or</i> LOBED</b>	 .....
14.1	<b>LEAVES LOBED <i>or</i> WITH A FEW IRREGULAR TEETH</b> .....	171
14.2	<b>LEAVES REGULARLY TOOTHED <i>or</i> CRENATE; STIPULES PRESENT (visible on young shoots)</b> .....	172
14.2.1	Stipules interpetiolar .....	172
14.2.2	Stipules free or encircling stem, not interpetiolar .....	173
14.3	<b>LEAVES REGULARLY TOOTHED <i>or</i> CRENATE; STIPULES ABSENT</b> .....	175
14.3.1	Leaves with numerous surface glands .....	175
14.3.2	Leaves leathery <i>and</i> with stiff teeth .....	175
14.3.3	Petioles usually more than 8 mm long .....	176
14.3.4	Petioles regularly less than 8 mm long .....	177
<b>GROUP 15</b>	<b>LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE (leaves mostly with translucent dots)</b>	 .....
15.1	<b>LEAVES AROMATIC WHEN CRUSHED (Family Rutaceae)</b> .....	179
15.1.1	Species in N.S.W. and Queensland .....	179
15.1.2	Species confined to Queensland .....	181
15.2	<b>LEAVES NOT AROMATIC WHEN CRUSHED</b> .....	182
<b>GROUP 16</b>	<b>LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE <i>and</i> WITH TRANSLUCENT DOTS (oil dots or oil-like dots)</b>	 .....
16.1	<b>LEAVES STRONGLY 3-VEINED FROM NEAR BASE</b> .....	183
16.1.1	Lower surface of mature leaves hairless ( <i>or</i> almost so) .....	183
16.1.1A	Species in N.S.W. and Queensland .....	183
16.1.1B	Species confined to Queensland .....	183
16.1.2	Lower surface of mature leaves hoary .....	184
16.1.3	Lower surface of mature leaves distinctly hairy .....	184
16.2	<b>LEAVES WITH AN INTRAMARGINAL VEIN; LEAVES MOSTLY BLUNT <i>or</i> WITH AN ABRUPT SHORT POINT (Family Myrtaceae)</b> .....	185
16.2.1	Most leaves large, usually more than 5 cm long .....	185
16.2.2	Most leaves small, usually less than 5 cm long .....	186
16.3	<b>LEAVES WITH AN INTRAMARGINAL VEIN; YOUNG STEMS HAIRY (Family Myrtaceae)</b> .....	187

<b>16.4</b>	<b>LEAVES WITH AN INTRAMARGINAL VEIN; STEMS <i>and</i> LEAVES NOT HAIRY (Family Myrtaceae)</b> .....	<b>189</b>
16.4.1	Translucent dots obscure <i>or</i> very sparse .....	189
16.4.2	Translucent dots distinct; leaves mostly narrow <i>and</i> long, lateral veins very numerous .....	190
16.4.3	Translucent dots distinct; leaves broader and drawn out to a short point.....	191
16.4.3A	<i>Lateral veins usually more than 20 pairs</i> .....	191
16.4.3B	<i>Lateral veins usually 12 to 20 pairs</i> .....	192
16.4.3C	<i>Lateral veins usually less than 12 pairs</i> .....	193
<b>16.5</b>	<b>LEAVES <i>neither</i> 3-VEINED <i>nor</i> WITH A REGULAR INTRAMARGINAL VEIN</b> .....	<b>195</b>
16.5.1	Leaves aromatic when crushed .....	195
16.5.2	Leaves not aromatic when crushed .....	197

**GROUP 17****LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE,  
WITHOUT TRANSLUCENT DOTS**.....**199**

17.1	<b>MISTLETOES</b> See APPENDIX A, Page 218	
17.2	<b>STIPULES PRESENT AS <i>either</i> FREE SMALL STIPULES <i>or</i> PAIRS OF INTERPETIOLAR STIPULES <i>or</i> A SHEATHING CAP OVER THE TERMINAL BUD</b> .....	<b>199</b>
17.2.1	Domatia always present (Family Rubiaceae) .....	199
17.2.2	Domatia present in some leaves only (Family Rubiaceae) .....	201
17.2.3	Domatia always absent .....	202
17.2.3A	<i>Stipules interpetiolar</i> .....	202
17.2.3B	<i>Stipules free or encircling growing point, not interpetiolar</i> .....	206
17.3	<b>STIPULES ABSENT: LEAVES <i>either</i> WITH MILKY LATEX <i>or</i> WITH DOMATIA <i>or</i> WITH INTRAMARGINAL VEINS <i>or</i> LEAVES 3-MANY-VEINED</b> .....	<b>207</b>
17.3.1	Milky latex present .....	207
17.3.2	Leaves with domatia.....	208
17.3.3	Leaves with 3 <i>or</i> more veins from near base .....	208
17.3.4	Leaves with intramarginal veins .....	209
17.4	<b>STIPULES ABSENT: LEAVES LACKING LATEX, DOMATIA <i>and</i> EXTRA LONGITUDINAL VEINS</b> .....	<b>209</b>
17.4.1	Lower surface of leaves covered in minute scales .....	209
17.4.2	Lower surface of leaves densely and softly hairy .....	210
17.4.3	Leaves ± hairless, bark on twigs pulling away in long strips, very tough .....	211
17.4.4	Leaves ± hairless, bark on twigs not pulling away in long strips; leaves leathery to stiff .....	212
17.4.5	Leaves ± hairless, bark on twigs not pulling away in long strips; leaves soft to firm .....	213
17.4.5A	<i>Leaves more than 5 cm long</i> .....	214
17.4.5B	<i>Leaves usually less than 5 cm long</i> .....	215

<b>APPENDIX A - Mistletoes in Rainforests</b> .....	<b>218</b>
---	------------