
























OUTLINE TO GROUPS

GROUP 1	TREEFERNS.....	11	
GROUP 2	CONIFERS WITH NARROW 1-MANY-VEINED LEAVES <i>or</i> LEAVES SCALE-LIKE <i>or</i> ABSENT	13	
GROUP 3	PALMS, CYCADS <i>and</i> PALM LILIES	16	
GROUP 4	LEAVES COMPOUND: BIPINNATE <i>or</i> TRIPINNATE	19	
GROUP 5	LEAVES COMPOUND: PINNATE <i>or</i> PALMATE, WITH 2 <i>or</i> MORE LEAFLETS	22	
GROUP 6	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: WHORLED (<i>true whorls or pseudo-whorls</i>).....	66	
GROUP 7	LEAVES SIMPLE: PLANTS WITH PRICKLES, SPINES <i>or</i> THORNS.....	77	
GROUP 8	LEAVES SIMPLE: ALTERNATE, MARGINS LOBED <i>or</i> ANGLED	88	
GROUP 9	LEAVES SIMPLE: ALTERNATE <i>and either</i> PLANTS WITH STINGING HAIRS <i>or</i> LEAVES PELTATE <i>or</i> LEAVES ± ROUND TO BROAD-OVATE <i>and</i> WITH STAR HAIRS BELOW	93	
GROUP 10	LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES, <i>either</i> MILKY LATEX PRESENT <i>and/or</i> LEAVES SANDPAPERY – Figs	96	
GROUP 11	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE <i>and</i> MARGINS TOOTHED <i>or</i> CRENATE	98	
GROUP 12	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE <i>and</i> WITH NUMEROUS TRANSLUCENT DOTS OR STREAKS (oil dots, coloured or clear dots or streaks)	114	
GROUP 13	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE, TRANSLUCENT DOTS ABSENT.....	135	
GROUP 14	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED <i>or</i> LOBED	171	
GROUP 15	LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE (mostly with translucent dots).....	179	
GROUP 16	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE <i>and</i> WITH TRANSLUCENT DOTS	183	
GROUP 17	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE, WITHOUT TRANSLUCENT DOTS	199	

OUTLINE TO GROUPS AND SUBGROUPS

GROUP 1	TREEFERNS	11
1.1	TRUNK A SINGLE STEM, LEAF BASES WITH SCALES		11
1.2	TRUNK A SINGLE STEM, LEAF BASES WITH SOFT HAIRS		11
1.3	LEAVES TUFTED AT APEX OF ± UNDERGROUND STEM.....		12
GROUP 2	CONIFERS WITH NARROW 1–MANY-VEINED LEAVES or LEAVES SCALE-LIKE or ABSENT	13
2.1	ADULT LEAVES USUALLY MORE THAN 1 cm LONG		13
2.2	ADULT LEAVES LESS THAN 1 cm LONG, SCALE-LIKE		14
2.3	LEAVES APPARENTLY ABSENT.....		15
GROUP 3	PALMS, CYCADS and PALM LILIES	16
3.1	PALMS		16
3.2	CYCADS		17
3.3	PALM LILIES.....		18
GROUP 4	LEAVES COMPOUND: BIPINNATE or TRIPINNATE	19
4.1	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and MORE THAN 1 cm WIDE		19
4.1.1	Leaflets opposite (at least the 2 at apex of each pinna)		19
4.1.2	Leaflets alternate (including uppermost ones on each pinna)		20
4.2	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and LESS THAN 1 cm WIDE		20
4.2.1	Leaflets more than 1 cm long		20
4.2.2	Leaflets less than 1 cm long		20
4.3	TERMINAL LEAFLETS PRESENT (at least on pinnae)		21
4.3.1	Terminal leaflets on leaf rachis and pinnae		21
4.3.2	Terminal leaflets present only on pinnae		21
GROUP 5	LEAVES COMPOUND: PINNATE or PALMATE, WITH 2 or MORE LEAFLETS	22
5.1	LEAFLETS 2		22
5.1.1	Domatia present		22
5.1.2	Leaflets toothed		22
5.1.3	Leaflets entire, lower surface of leaflets very pale grey, bluish or grey-green		23
5.1.4	Leaflets entire, green on both surfaces		24
5.1.4A	Family Sapindaceae		24
5.1.4B	Other families		25
5.2	LEAFLETS 3: WITH DISTINCT TRANSLUCENT DOTS (oil dots) (Family Rutaceae)		26

5.2.1	Terminal leaflet without a distinct petiolule	26
5.2.1A	<i>Leaflets hairless or almost so on both surfaces, not warty</i>	26
5.2.1B	<i>Leaflets distinctly hairy or warty</i>	28
5.2.2	Terminal leaflet with a distinct petiolule but without a joint at the apex of the petiolule.....	29
5.2.3	Terminal leaflet with a petiolule <i>and</i> with a joint near apex of the petiolule	30
5.3	LEAFLETS 3: WITHOUT DISTINCT TRANSLUCENT DOTS	31
5.3.1	Leaves alternate, leaflets entire	31
5.3.1A	<i>Most leaflets more than 3 cm long</i>	31
5.3.1B	<i>Leaflets less than 3 cm long</i>	32
5.3.2	Leaves opposite, leaflets entire	33
5.3.3	Leaves opposite, leaflets toothed	33
5.4	LEAFLETS MORE THAN 3: LEAF RACHIS WINGED	34
5.4.1	Leaflets toothed	34
5.4.2	Leaflets entire	35
5.5	LEAFLETS MORE THAN 3: TRANSLUCENT DOTS PRESENT (oil dots or oil-like dots).....	36
5.5.1	Dots mostly medium-sized to large; crushed leaves aromatic (Family Rutaceae)	36
5.5.1A	<i>Species of Flindersia</i>	36
5.5.1B	<i>Other genera, leaves opposite</i>	37
5.5.1C	<i>Other genera, leaves alternate, leaflets opposite</i>	38
5.5.1D	<i>Other genera, leaves alternate, leaflets alternate</i>	38
5.5.2	Translucent dots minute, sometimes irregular; crushed leaves not distinctly aromatic	39
5.5.2A	<i>Leaves with a true terminal leaflet</i>	39
5.5.2B	<i>Leaves without a true terminal leaflet</i>	40
5.6	LEAFLETS MORE THAN 3: TRANSLUCENT DOTS ABSENT, <i>either</i> LEAVES PALMATE or LEAVES OPPOSITE or LEAFLETS DISSECTED-PINNATE (i.e. without regular broad leaflets)	40
5.6.1	Leaves palmate	40
5.6.2	Leaves opposite, leaflets toothed	41
5.6.3	Leaves opposite, leaflets entire	42
5.6.4	Leaflets dissected-pinnate	42
5.7	LEAFLETS 4–12: DOMATIA PRESENT, RACHIS NOT EXTENDED BEYOND LAST LEAFLET, TERMINAL LEAFLET PRESENT or ABSENT.....	43
5.7.1	No exudates present in cut petioles	43
5.7.2	Milky or watery sap exuding from cut petioles	44
5.8	LEAFLETS 4–12: DOMATIA PRESENT, TERMINAL LEAFLET ABSENT, RACHIS SHORTLY EXTENDED BEYOND LAST LEAFLET (most in Family Sapindaceae)	44
5.8.1	Leaflets usually entire	44
5.8.2	Leaflets usually toothed	46
5.8.2A	<i>Leaflets less than 8</i>	46
5.8.2B	<i>Leaflets more than 8</i>	47

5.9	LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP NOT PROJECTING BEYOND LEAFLETS, TERMINAL LEAFLET PRESENT or ABSENT	47
5.9.1	Terminal leaflet present	47
5.9.1A	<i>Leaflets hairy or scaly</i>	47
5.9.1B	<i>Leaflets hairless, leafy stipules at base of the leaf</i>	48
5.9.1C	<i>Leaflets hairless; leafy stipules absent</i>	48
5.9.2	Terminal leaflet absent	49
5.9.2A	<i>Leaf rachis and/or petiole with at least 1 gland</i>	49
5.9.2B	<i>Leaf rachis and petiole without glands</i>	51
5.10	LEAFLETS 4–12: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX BLUNT or NOTCHED (Family Sapindaceae)	52
5.10.1	Leaflets more than 15 cm long	52
5.10.2	Leaflets 2–15 cm long, lower surface paler (green, whitish, yellowish or bluish green)	52
5.10.3	Leaflets 2–15 cm long, surfaces similar in colour	53
5.11	LEAFLETS 4–12: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX ACUTE or BLUNTLY POINTED (Family Sapindaceae)	55
5.11.1	Lower surface of leaflets greyish or whitish	55
5.11.2	Both surfaces of leaflets green, lower surface sometimes paler	55
5.11.2A	<i>Leaflets broad, mostly ovate, elliptic or obovate</i>	55
5.11.2B	<i>Leaflets narrow, mostly oblong to lanceolate or narrow-elliptic</i>	57
5.12	LEAFLETS 4–8: RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS TOOTHED (Family Sapindaceae)	58
5.13	LEAFLETS 9–50: MARGINS TOOTHED or LOBED	59
5.13.1	Leaflets usually 9–18 (Family Sapindaceae).....	59
5.13.1A	<i>Domatia present</i>	59
5.13.1B	<i>Domatia absent</i>	60
5.13.2	Leaflets mostly more than 18	60
5.14	LEAFLETS 13–50: MARGINS ENTIRE, DOMATIA PRESENT (domatia sometimes small and inconspicuous)	61
5.15	LEAFLETS 13–50: MARGINS ENTIRE, DOMATIA ABSENT.....	62
5.15.1	Terminal leaflet present	62
5.15.2	Terminal leaflet absent	63
5.15.2A	<i>Leaf petiole and/or rachis without glands</i>	63
5.15.2B	<i>Leaf petiole and/or rachis with at least 1 gland</i>	64
GROUP 6	LEAVES SIMPLE or 1-FOLIOLATE: WHORLED (true whorls or pseudo-whorls)	66
		
6.1	LEAVES WHORLED: RESIN or MILKY LATEX PRESENT IN PETIOLES or TWIGS	66
6.1.1	Resin present, translucent dots in leaves	66
6.1.2	Milky latex present, no translucent dots in leaves.....	67
6.2	LEAVES WHORLED: RESIN and MILKY LATEX ABSENT, MARGINS TOOTHED	67

6.3 LEAVES WHORLED: MARGINS ENTIRE, FINE TRANSLUCENT DOTS PRESENT.....70

6.3.1 Petioles less than 5 mm long, often reddish..... 70

6.3.2 Petioles more than 5 mm long, not red71

6.3.2A *Leaves 3-veined in basal half* 71

6.3.2B *Leaves not 3-veined in basal half...*72

6.4 LEAVES WHORLED: MARGINS ENTIRE, TRANSLUCENT DOTS ABSENT72

6.4.1 Petioles more than 2 cm long.....72

6.4.2 Petioles less than 2 cm long73

6.4.2A *Lower surface of mature leaves distinctly hairy*73

6.4.2B *Lower surface of mature leaves hairless or almost so*74

GROUP 7 LEAVES SIMPLE: PLANTS WITH PRICKLES, SPINES or THORNS



7.1 PLANTS WITH PRICKLES SCATTERED OVER BRANCHLETS and OFTEN OVER LEAVES.....77

7.1.1 Leaves with margins regularly and finely toothed 77

7.1.1A *Leaves alternate*..... 77

7.1.1B *Leaves opposite*..... 77

7.1.2 Leaves with margins entire, coarsely toothed or lobed 77

7.1.2A *Plants prostrate, rooting at the nodes*77

7.1.2B *Prickles broad-based, often curved*..... 78

7.1.2C *Young branchlets with many simple or glandular hairs* 78

7.1.2D *Adult leaves deeply lobed (cut more than halfway to midrib)* 79

7.1.2E *Adult leaves not deeply lobed (cut less than halfway to midrib), lower leaf surface green (star hairs sparse to moderately dense)* 79

7.1.2G *Adult leaves not deeply lobed (less than halfway to midrib), lower leaf surface white to fawn (star hairs dense to very dense)* 80

7.2 PLANTS WITH PAIRED SPINES AT THE BASE OF SOME LEAVES, LEAVES ALTERNATE.....82

7.3 PLANTS WITH AXILLARY THORNS and/or BRANCHLETS SPINOSE, LEAVES ALTERNATE or OPPOSITE83

7.3.1 Leaves opposite, margins entire83

7.3.1A *Axillary spines present*.....83

7.3.1B *Branchlets spinose*.....84

7.3.2 Leaves opposite, margins toothed.....85

7.3.3 Leaves alternate, margins entire or almost so85

7.3.4 Leaves alternate, margins toothed or crenate87

GROUP 8 LEAVES SIMPLE: ALTERNATE, MARGINS LOBED or ANGLED



8.1 LEAVES WITH MARGINS ANGLED88

8.2 LEAVES LOBED and 3-9-VEINED FROM BASE88


8.2.1 Lower surface of leaves hairy.....88

8.2.2 Leaves hairless89

8.3 LEAVES LOBED, VENATION PINNATE 90

GROUP 9

LEAVES SIMPLE: ALTERNATE and either PLANTS WITH STINGING HAIRS or LEAVES PELTATE or LEAVES ± ROUND TO BROAD-OVATE and WITH STAR HAIRS BELOW



9.1 PLANTS WITH STINGING HAIRS93

9.2 LEAVES PELTATE; STINGING HAIRS ABSENT.....93


9.2.1 Petiole attached towards centre of leaf.....93

9.2.2 Petiole attached towards margin of leaf94

9.3 LEAVES NOT PELTATE; STAR HAIRS PRESENT94

GROUP 10

LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES, MILKY LATEX PRESENT and/or LEAVES SANDPAPERY – Figs



10.1 LEAVES SMOOTH ON UPPER SURFACE and MARGINS ENTIRE, SAP MILKY.....96

10.2 LEAVES SANDPAPERY ON UPPER SURFACE, MARGINS ENTIRE, TOOTHED or LOBED, SAP WATERY or ± MLKY.....97

GROUP 11

LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, MARGINS TOOTHED or CRENATE



11.1 LEAVES SIMPLE and ROUGH TO THE TOUCH98

11.2 LEAVES SIMPLE and WITH A FEW SPINOSE TEETH99

11.3 LEAVES 1-FOLIOLATE: DOMATIA PRESENT99

11.4 LEAVES 1-FOLIOLATE: DOMATIA ABSENT100

11.5 LEAVES SIMPLE: DOMATIA PRESENT101

11.6 LEAVES SIMPLE: DOMATIA ABSENT and either HAIRLESS AND WHITISH BELOW or DISTINCTLY HAIRY BELOW102

11.6.1 Leaves hairless, lower surface whitish102

11.6.2 Leaves hairy, lower surface silvery-white102

11.6.3 Leaves hairy, green to pale green, not whitish102

11.6.4 Leaves hairy, lower surface dull white, beige-white or grey to yellowish103

11.6.5 Leaves hairy, lower surface brown-green to rusty.....105

11.7 LEAVES SIMPLE: 1–5 SMALL GLANDS NEAR JUNCTION OF PETIOLE and LAMINA105


11.8 LEAVES SIMPLE: TERMINAL BUDS HAIRY or SCALY106

11.8.1 Buds hairy, not scaly106

11.8.2 Buds scaly107

11.9 LEAVES SIMPLE: LACKING THE SPECIAL FEATURES OF GROUPS 11.1 to 11.8.....110




11.9.1 Petioles more than 1 cm long110

11.9.2	Petioles less than 1 cm long	111
11.9. 2A	<i>Most leaves less than 4 cm long</i>	111
11.9.2B	<i>Most leaves more than 4 cm long</i>	112
GROUP 12	LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, ENTIRE and WITH NUMEROUS TRANSLUCENT DOTS or STREAKS (oil dots, coloured or clear dots or streaks)114
		
12.1	LEAVES either WITH COLOURED DOTS or WITH PELTATE SCALES or STAR HAIRS ON LOWER SURFACE	114
12.1.1	Leaves with coloured dots	114
12..1.2	Lower surface of leaves densely scaly (peltate scales silvery or brownish)	115
12..1.3	Lower surface of leaves with star hairs	116
12.2	PETIOLES VERY SHORT, OFTEN RED, TERMINAL BUDS SOFT-SCALY, REDDISH	116
12.3	TRANSLUCENT DOTS and/or STREAKS MEDIUM-SIZED TO LARGE (often visible without a lens, use lens for thick leaves)	117
12.3.1	Leaves usually more than 4 cm long	117
12.3.2	Leaves less than 4 cm long	120
12.4	TRANSLUCENT DOTS MINUTE, STEMS ± ZIGZAG and LEAVES 2-RANKED.....	121
12.5	TRANSLUCENT DOTS MINUTE, LEAVES 3-VEINED and/or DOMATIA PRESENT.....	123
12.5.1	Domatia present, leaves usually 3-veined	123
12.5.1A	<i>Leaves hairless or almost so</i>	123
12.5.1B	<i>Leaves usually distinctly hairy, especially on lower veins</i>	124
12.5.2	Domatia absent, leaves always 3-veined	124
12.5.2A	<i>Species in Family Lauraceae</i>	124
12.5.2B	<i>Species in other families</i>	125
12.6	TRANSLUCENT DOTS MINUTE, LEAVES GLAUCOUS ON LOWER SURFACE (Family Lauraceae)	126
12.6.1	Leaves hairy on lower surface, especially on veins	126
12.6.2	Leaves hairless or almost so on lower surface	127
12.7	TRANSLUCENT DOTS MINUTE, BASE OF LEAVES WITH 2 or MORE RAISED MARGINAL / SUBMARGINAL GLANDS	128
12.8	TRANSLUCENT DOTS MINUTE, LEAVES LACKING FEATURES OF GROUPS 12.4 to 12.7	129
12.8.1	Leaves less than 3 cm long	129
12.8.2	Leaves hairy on lower surface, especially on veins	130
12.8.3	Leaves hairless or almost so	131
12.8.3A	<i>Species widespread in N.S.W. and Queensland</i>	131
12.8.3B	<i>Species restricted in northern N.S.W. and southern Queensland</i>	133
12.8.3C	<i>Species confined to Queensland</i>	134

GROUP 13

LEAVES SIMPLE *or* 1-FOLIOLATE: ALTERNATE,
ENTIRE, TRANSLUCENT DOTS ABSENT

		135
13.1	LEAVES WITH ONLY 1 VEIN <i>or</i> NO VEINS VISIBLE	135
13.1.1	Most leaves more than 4 cm long	135
13.1.2	Most leaves less than 4 cm long	135
13.2	LEAVES PALMATELY VEINED <i>or</i> WITH 2 <i>or</i> MORE LONGITUDINAL VEINS	137
13.2.1	Leaves palmately veined.....		137
13.2.2	Leaves relatively long <i>and</i> narrow	137
13.2.3	Leaves broader and usually less than 7 cm long	138
13.2.4	Leaves broader and usually more than 7cm long	139
13.2.4A	<i>Flowers in globose heads</i>	139
13.2.4B	<i>Flowers in elongated spikes</i>	140
13.3	LEAVES WITH 1 <i>or</i> MORE OF THE FOLLOWING FEATURES: 3-VEINED AT BASE; TRIANGULAR; WITH 1 <i>or</i> MORE BASAL, MARGINAL <i>or</i> SURFACE GLANDS ON LOWER SURFACE	141
13.3.1	Leaves triangular and/or 3-veined at base.	141
13.3.2	Leaves with 2 basal glands <i>or</i> scattered marginal glands	142
13.3.3	Leaves with numerous surface glands on lower surface	143
13.3.4	Leaves with 1 basal gland	143
13.4	<i>Either</i> LEAVES DENSELY HAIRY ON BOTH SURFACES <i>or</i> UPPER SURFACE ± HAIRLESS <i>and</i> LOWER SURFACE WITH WHITE <i>OR</i> COLOURED HAIRS (not colourless hairs)	144
13.4.1	Leaves densely hairy on both surfaces	144
13.4.2	Leaves with upper surface ± hairless, lower surface with white or coloured hairs	145
13.4.2A	<i>Most leaves less than 7 cm long</i>	145
13.4.2B	<i>Most leaves more than 7 cm long</i>	148
13.5	MILKY LATEX IN PETIOLES <i>or</i> BARK <i>or</i> BOTH (visible on cutting)	150
13.6	LEAVES WITH DOMATIA IN SOME VEIN ANGLES	152
13.7	DOMATIA ABSENT; LEAVES <i>either</i> PSEUDO-PINNATE <i>or</i> STRONGLY 2-RANKED; LOWER SURFACE <i>either</i> GREY, YELLOWISH GREY <i>or</i> YELLOWISH GREEN	153
13.7.1	Most leaves less than 3 cm long	153
13.7.2	Most leaves more than 3 cm long	154
13.8	TERMINAL BUDS SCALY (buds covered with small scale-like leaves)	157
13.8.1	Leaves rounded or cordate at base	157
13.8.2	Leaves gradually tapered into petiole	157
13.8.2	<i>Leaves small, usually less than 5 cm long</i>	157
13.8.2B	<i>Leaves narrow, usually relatively long and petiole often indistinct</i>	158
13.8.2C	<i>Leaves wider, petiole distinct.</i>	159
13.9	TERMINAL BUDS NOT SCALY	160
13.9.1	Leaf buds distinctly hairy	160

13.9.2	Leaf buds hairless <i>or</i> almost so	164
13.9.2A	Leaves 1-foliolate	164
13.9.2B	Leaves simple, mostly less than 5 cm long	165
13.9.2C	Leaves simple, mostly more than 5 cm long, petioles usually more than 3 cm long	166
13.9.2D	Leaves simple, mostly more than 5 cm long, firm to stiff	167
13.9.2E	Leaves simple, mostly more than 5 cm long, soft	169
GROUP 14	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED <i>or</i> LOBED	171
14.1	LEAVES LOBED <i>or</i> WITH A FEW IRREGULAR TEETH	171
14.2	LEAVES REGULARLY TOOTHED <i>or</i> CRENATE; STIPULES PRESENT (visible on young shoots)	172
14.2.1	Stipules interpetiolar	172
14.2.2	Stipules free or encircling stem, not interpetiolar	173
14.3	LEAVES REGULARLY TOOTHED <i>or</i> CRENATE; STIPULES ABSENT	175
14.3.1	Leaves with numerous surface glands	175
14.3.2	Leaves leathery <i>and</i> with stiff teeth	175
14.3.3	Petioles usually more than 8 mm long	176
14.3.4	Petioles regularly less than 8 mm long	177
GROUP 15	LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE (leaves mostly with translucent dots)	179
15.1	LEAVES AROMATIC WHEN CRUSHED (Family Rutaceae)	179
15.1.1	Species in N.S.W. and Queensland	179
15.1.2	Species confined to Queensland	181
15.2	LEAVES NOT AROMATIC WHEN CRUSHED	182
GROUP 16	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE <i>and</i> WITH TRANSLUCENT DOTS (oil dots or oil-like dots)	183
16.1	LEAVES STRONGLY 3-VEINED FROM NEAR BASE	183
16.1.1	Lower surface of mature leaves hairless (<i>or</i> almost so)	183
16.1.1A	Species in N.S.W. and Queensland	183
16.1.1B	Species confined to Queensland	183
16.1.2	Lower surface of mature leaves hoary	184
16.1.3	Lower surface of mature leaves distinctly hairy	184
16.2	LEAVES WITH AN INTRAMARGINAL VEIN; LEAVES MOSTLY BLUNT <i>or</i> WITH AN ABRUPT SHORT POINT (Family Myrtaceae)	185
16.2.1	Most leaves large, usually more than 5 cm long	185
16.2.2	Most leaves small, usually less than 5 cm long	186
16.3	LEAVES WITH AN INTRAMARGINAL VEIN; YOUNG STEMS HAIRY (Family Myrtaceae)	187

16.4	LEAVES WITH AN INTRAMARGINAL VEIN; STEMS <i>and</i> LEAVES NOT HAIRY (Family Myrtaceae)	189
16.4.1	Translucent dots obscure <i>or</i> very sparse	189
16.4.2	Translucent dots distinct; leaves mostly narrow <i>and</i> long, lateral veins very numerous	190
16.4.3	Translucent dots distinct; leaves broader and drawn out to a short point.....	191
16.4.3A	<i>Lateral veins usually more than 20 pairs</i>	191
16.4.3B	<i>Lateral veins usually 12 to 20 pairs</i>	192
16.4.3C	<i>Lateral veins usually less than 12 pairs</i>	193
16.5	LEAVES <i>neither</i> 3-VEINED <i>nor</i> WITH A REGULAR INTRAMARGINAL VEIN	195
16.5.1	Leaves aromatic when crushed	195
16.5.2	Leaves not aromatic when crushed	197

GROUP 17**LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE,
WITHOUT TRANSLUCENT DOTS**.....**199**

17.1	MISTLETOES See APPENDIX A, Page 218	
17.2	STIPULES PRESENT AS <i>either</i> FREE SMALL STIPULES <i>or</i> PAIRS OF INTERPETIOLAR STIPULES <i>or</i> A SHEATHING CAP OVER THE TERMINAL BUD	199
17.2.1	Domatia always present (Family Rubiaceae)	199
17.2.2	Domatia present in some leaves only (Family Rubiaceae)	201
17.2.3	Domatia always absent	202
17.2.3A	<i>Stipules interpetiolar</i>	202
17.2.3B	<i>Stipules free or encircling growing point, not interpetiolar</i>	206
17.3	STIPULES ABSENT: LEAVES <i>either</i> WITH MILKY LATEX <i>or</i> WITH DOMATIA <i>or</i> WITH INTRAMARGINAL VEINS <i>or</i> LEAVES 3-MANY-VEINED	207
17.3.1	Milky latex present	207
17.3.2	Leaves with domatia.....	208
17.3.3	Leaves with 3 <i>or</i> more veins from near base	208
17.3.4	Leaves with intramarginal veins	209
17.4	STIPULES ABSENT: LEAVES LACKING LATEX, DOMATIA <i>and</i> EXTRA LONGITUDINAL VEINS	209
17.4.1	Lower surface of leaves covered in minute scales	209
17.4.2	Lower surface of leaves densely and softly hairy	210
17.4.3	Leaves ± hairless, bark on twigs pulling away in long strips, very tough	211
17.4.4	Leaves ± hairless, bark on twigs not pulling away in long strips; leaves leathery to stiff	212
17.4.5	Leaves ± hairless, bark on twigs not pulling away in long strips; leaves soft to firm	213
17.4.5A	<i>Leaves more than 5 cm long</i>	214
17.4.5B	<i>Leaves usually less than 5 cm long</i>	215

APPENDIX A - Mistletoes in Rainforests	218
---	------------