


OUTLINE TO GROUPS

GROUP 1	TREEFERNS.....	15
GROUP 2	CONIFERS WITH NARROW 1–MANY-VEINED LEAVES or LEAVES SCALE-LIKE or ABSENT.....	17
GROUP 3	PALMS, CYCADS <i>and</i> PALM LILIES	20
GROUP 4	LEAVES COMPOUND: BIPINNATE <i>or</i> TRIPINNATE	23
GROUP 5	LEAVES COMPOUND: PINNATE <i>or</i> PALMATE, WITH 2 <i>or</i> MORE LEAFLETS	27
GROUP 6	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: WHORLED (<i>true whorls</i> <i>or</i> <i>pseudo-whorls</i>).....	75
GROUP 7	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: PLANTS WITH PRICKLES, SPINES <i>or</i> THORNS.....	86
GROUP 8	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, MARGINS ANGLED <i>or</i> LOBED	99
GROUP 9	LEAVES SIMPLE: ALTERNATE <i>and either</i> PLANTS WITH STINGING HAIRS <i>or</i> LEAVES PELTATE <i>or</i> LEAVES BROAD-OVATE TO ± ROUND <i>and</i> WITH STAR HAIRS BELOW	104
GROUP 10	LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES, MILKY LATEX PRESENT <i>and/or</i> LEAVES SANDPAPERY – Figs	107
GROUP 11	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, MARGINS TOOTHED <i>or</i> CRENATE	109
GROUP 12	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE <i>and</i> WITH TRANSLUCENT DOTS <i>or</i> STREAKS (<i>clear</i> <i>or</i> <i>coloured dots</i> <i>or</i> <i>streaks</i>)	127
GROUP 13	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: ALTERNATE, ENTIRE, WITHOUT TRANSLUCENT DOTS	150
GROUP 14	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED, CRENATE <i>or</i> LOBED	189
GROUP 15	LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE (<i>mostly with translucent dots</i>).....	198
GROUP 16	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE, WITH TRANSLUCENT DOTS (<i>clear oil</i> <i>or</i> <i>oil-like dots</i>)	202
GROUP 17	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE, WITHOUT TRANSLUCENT DOTS	220



OUTLINE TO GROUPS AND SUBGROUPS

GROUP 1	TREEFERNS	15
1.1	TRUNK A SINGLE STEM, LEAF BASES WITH SCALES		15
1.2	TRUNK A SINGLE STEM, LEAF BASES WITH SOFT HAIRS		15
1.3	LEAVES TUFTED AT APEX OF ± UNDERGROUND STEM		16
GROUP 2	CONIFERS WITH NARROW 1–MANY-VEINED LEAVES or LEAVES SCALE-LIKE or ABSENT	17
2.1	ADULT LEAVES USUALLY MORE THAN 1 cm LONG		17
2.2	ADULT LEAVES LESS THAN 1 cm LONG, SCALE-LIKE		18
2.3	LEAVES APPARENTLY ABSENT.....		19
GROUP 3	PALMS, CYCADS and PALM LILIES	20
3.1	PALMS		20
3.2	CYCADS		21
3.3	PALM LILIES.....		22
GROUP 4	LEAVES COMPOUND: BIPINNATE or TRIPINNATE	23
4.1	PRICKLES PRESENT ON STEMS		23
4.2	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and MORE THAN 1 cm WIDE		23
4.2.1	Leaflets alternate (including uppermost ones on each pinna)		23
4.2.2	Leaflets opposite (at least the 2 at apex of each pinna)		24
4.3	TERMINAL LEAFLET ABSENT, LEAFLETS ENTIRE and LESS THAN 1 cm WIDE		24
4.3.1	Leaflets more than 1 cm long		24
4.3.2	Leaflets less than 1 cm long		25
4.4	TRUE TERMINAL LEAFLETS PRESENT (at least on pinnae)		25

Outline to Groups 4 & 5

4.4.1	Terminal leaflets on leaf rachis <i>and</i> pinnae	25
4.4.2	Terminal leaflets present only on pinnae	26

**GROUP 5 LEAVES COMPOUND: PINNATE or PALMATE,
WITH 2 or MORE LEAFLETS**



5.1	LEAFLETS 2	27
5.1.1	Domatia present	27
5.1.2	Leaflets toothed	28
5.1.3	Leaflets entire, lower surface of leaflets very pale grey, bluish or grey-green	28
5.1.4	Leaflets entire, green on both surfaces	30
5.1.4A	<i>Family Sapindaceae</i>	30
5.1.4B	<i>Other families</i>	31
5.2	LEAFLETS 3: WITH DISTINCT TRANSLUCENT DOTS (oil dots or oil-like dots) (Family Rutaceae)	32
5.2.1	Terminal leaflet without a distinct petiolule	32
5.2.1A	<i>Leaflets hairless or almost so on both surfaces, not warty</i>	32
5.2.1B	<i>Leaflets distinctly hairy or warty</i>	33
5.2.2	Terminal leaflet with a distinct petiolule <i>but</i> without a joint at the apex of the petiolule.....	35
5.2.3	Terminal leaflet with a petiolule <i>and</i> with a joint near apex of the petiolule	36
5.3	LEAFLETS 3: WITHOUT DISTINCT TRANSLUCENT DOTS	37
5.3.1	Prickles on stems and branchlets.....	37
5.3.2	Leaves alternate.....	38
5.3.2A	<i>Most leaflets more than 3 cm long</i>	38
5.3.2B	<i>Leaflets less than 3 cm long</i>	39
5.3.3	Leaves opposite, leaflets entire	40
5.3.4	Leaves opposite, leaflets toothed	40
5.4	LEAFLETS MORE THAN 3: LEAF RACHIS WINGED	41
5.4.1	Leaflets toothed	41
5.4.2	Leaflets entire	42
5.5	LEAFLETS MORE THAN 3: TRANSLUCENT DOTS PRESENT (oil dots or oil-like dots)	43
5.5.1	Dots mostly medium-sized to large; crushed leaves aromatic (most in Family Rutaceae)	43
5.5.1A	<i>Species of Flindersia</i>	43
5.5.1B	<i>Other genera, leaves opposite</i>	44

Outline to Group 5

5.5.1C	<i>Other genera, leaves alternate, leaflets opposite</i>	45
5.5.1D	<i>Other genera, leaves alternate, leaflets alternate</i>	45
5.5.2	Translucent dots minute, sometimes irregular; crushed leaves not distinctly aromatic	46
5.5.2A	<i>Leaves with a true terminal leaflet</i>	46
5.5.2B	<i>Leaves without a true terminal leaflet</i>	47
5.6	LEAFLETS MORE THAN 3: TRANSLUCENT DOTS ABSENT and/either STEMS WITH PRICKLES or LEAVES PALMATE or LEAFLETS DISSECTED-PINNATE or LEAVES OPPOSITE	47
5.6.1	Stems with prickles	47
5.6.2	Leaves palmate	48
5.6.3	Leaflets dissected-pinnate	49
5.6.4	Leaves opposite, leaflets toothed	50
5.6.5	Leaves opposite, leaflets entire	50
5.7	LEAFLETS 4–12: DOMATIA PRESENT, RACHIS NOT EXTENDED BEYOND LAST LEAFLET, TERMINAL LEAFLET PRESENT or ABSENT.....	51
5.7.1	No exudates present in cut petioles	51
5.7.2	Milky or watery sap exuding from cut petioles	52
5.8	LEAFLETS 4–12: DOMATIA PRESENT, RACHIS SHORTLY EXTENDED BEYOND LAST LEAFLET (most in Family Sapindaceae)	52
5.8.1	Leaflets usually entire	52
5.8.2	Leaflets usually toothed	55
5.8.2A	<i>Leaflets 4–8</i>	55
5.8.2B	<i>Leaflets 9–12</i>	55
5.9	LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP NOT PROJECTING BEYOND LEAFLETS, TERMINAL LEAFLET PRESENT or ABSENT	56
5.9.1	Terminal leaflet present	56
5.9.1A	<i>Leaflets hairy or scaly</i>	56
5.9.1B	<i>Leaflets hairless, leafy stipules at base of the leaf</i>	57
5.9.1C	<i>Leaflets hairless, leafy stipules absent</i>	57
5.9.2	Terminal leaflet absent	58
5.9.2A	<i>Petiole and/or leaf rachis with at least 1 gland</i>	58
5.9.2B	<i>Petiole and leaf rachis without glands</i>	60
5.10	LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX BLUNT or NOTCHED (Family Sapindaceae)	61
5.10.1	Leaflets more than 15 cm long	61
5.10.2	Leaflets 2–15 cm long, lower surface paler (green, whitish, yellowish or bluish green)	61

Outline to Groups 5 & 6

Outline to Groups 5 & 6

5.10.3	Leaflets 2–15 cm long, surfaces similar in colour	62
5.11	LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS ENTIRE, APEX ACUTE or BLUNTLY POINTED (Family Sapindaceae)	64
5.11.1	Lower surface of leaflets greyish or whitish	64
5.11.2	Both surfaces of leaflets green, lower surface sometimes paler	64
5.11.2A	<i>Leaflets broad, mostly ovate, elliptic or obovate</i>	64
5.11.2B	<i>Leaflets narrow, mostly oblong to lanceolate or narrow-elliptic</i>	66
5.12	LEAFLETS 4–12: DOMATIA ABSENT, RACHIS TIP PROJECTING BEYOND LAST LEAFLET, MARGINS TOOTHED (Family Sapindaceae)	67
5.13	LEAFLETS 13–51: MARGINS TOOTHED or LOBED	68
5.13.1	Domatia present (leaflets usually 13–21)	68
5.13.2	Domatia absent (leaflets usually 13–51)	68
5.14	LEAFLETS 13–51: MARGINS ENTIRE, DOMATIA PRESENT (domatia sometimes small and inconspicuous)	70
5.15	LEAFLETS 13–51: MARGINS ENTIRE, DOMATIA ABSENT.....	71
5.15.1	Terminal leaflet present	71
5.15.2	Terminal leaflet absent	72
5.15.2A	<i>Petiole and leaf rachis without glands</i>	72
5.15.2B	<i>Petiole and/or leaf rachis with at least 1 gland</i>	73

GROUP 6	LEAVES SIMPLE or 1-FOLIOLATE: WHORLED (true whorls or pseudo-whorls)	75
----------------	---------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------



6.1	LEAVES WHORLED: RESIN or MILKY LATEX PRESENT IN PETIOLES or TWIGS	75
6.1.1	Resin present, translucent dots in leaves	75
6.1.2	Milky latex present, no translucent dots in leaves	76
6.2	LEAVES WHORLED: RESIN and MILKY LATEX ABSENT, MARGINS TOOTHED	77
6.3	LEAVES WHORLED: MARGINS ENTIRE, FINE TRANSLUCENT DOTS PRESENT	79
6.3.1	Petioles less than 5 mm long, often reddish	79
6.3.2	Petioles more than 5 mm long, not red	80
6.3.2A	<i>Leaves 3-veined in basal half</i>	80
6.3.2B	<i>Leaves not 3-veined in basal half.....</i>	81

Outline to Groups 6 & 7

6.4	LEAVES WHORLED: MARGINS ENTIRE, TRANSLUCENT DOTS ABSENT	81
6.4.1	Petioles more than 2 cm long	81
6.4.2	Petioles less than 2 cm long	82
6.4.2A	<i>Lower surface of mature leaves distinctly hairy</i>	82
6.4.2B	<i>Lower surface of mature leaves hairless or almost so</i>	83
 GROUP 7 LEAVES SIMPLE: PLANTS WITH PRICKLES, SPINES or THORNS		86
7.1	PLANTS WITH PRICKLES SCATTERED OVER BRANCHLETS and OFTEN OVER LEAVES	86
7.1.1	Leaves entire and with 3 or more longitudinal veins.....	86
7.1.2	Leaves with margins regularly and finely toothed	87
7.1.2A	<i>Leaves alternate</i>	87
7.1.2B	<i>Leaves opposite</i>	88
7.1.3	Leaves with margins entire, coarsely toothed or lobed	88
7.1.3A	<i>Plants prostrate, rooting at the nodes</i>	88
7.1.3B	<i>Prickles broad-based, often curved</i>	88
7.1.3C	<i>Young branchlets with many simple or glandular hairs</i>	89
7.1.3D	<i>Adult leaves deeply lobed (cut more than halfway to midrib)</i>	89
7.1.3E	<i>Adult leaves not deeply lobed (cut less than halfway to midrib), lower leaf surface green (star hairs sparse to moderately dense)</i>	90
7.1.3F	<i>Adult leaves not deeply lobed (cut less than halfway to midrib), lower leaf surface white to yellow or fawn (star hairs dense to very dense)</i>	90
7.2	PLANTS WITH AXILLARY THORNS and/or BRANCHLETS SPINOSE, LEAVES ALTERNATE or OPPOSITE	93
7.2.1	Leaves opposite, margins entire	93
7.2.1A	<i>Axillary spines present</i>	93
7.2.1B	<i>Branchlets spinose</i>	94
7.2.2	Leaves opposite, margins toothed	95
7.2.3	Leaves alternate, margins entire or almost so	95
7.2.4	Leaves alternate, margins toothed or crenate	97
7.3	PLANTS WITH PAIRED SPINES AT THE BASE OF SOME LEAVES, LEAVES ALTERNATE	98

Outline to Groups 8 –11


Outline to Groups 8–11

GROUP 8	LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, MARGINS ANGLED or LOBED	99
8.1	LEAVES WITH MARGINS ANGLED		99
8.2	LEAVES LOBED <i>and</i> 3–9-VEINED FROM BASE		99
8.2.1	Lower surface of leaves hairy		99
8.2.2	Leaves hairless		100
8.3	LEAVES LOBED, VENATION PINNATE		101
GROUP 9	LEAVES SIMPLE: ALTERNATE <i>and either</i> PLANTS WITH STINGING HAIRS <i>or</i> LEAVES PELTATE <i>or</i> LEAVES BROAD-OVATE TO ± ROUND <i>and</i> WITH STAR HAIRS BELOW	104
9.1	PLANTS WITH STINGING HAIRS		104
9.2	LEAVES PELTATE, STINGING HAIRS ABSENT		104
9.2.1	Petiole attached towards centre of leaf		104
9.2.2	Petiole attached towards margin of leaf		105
9.3	LEAVES NOT PELTATE, STAR HAIRS PRESENT		105
GROUP 10	LEAVES SIMPLE: ALTERNATE, WITH POINTED ROLLED STIPULES – Figs	107
10.1	LEAVES ENTIRE, UPPER SURFACE SMOOTH, SAP MILKY.....		107
10.2	LEAVES ENTIRE, TOOTHED <i>or</i> LOBED, UPPER SURFACE SANDPAPERY, SAP WATERY <i>or</i> ± MILKY		108
GROUP 11	LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, MARGINS TOOTHED or CRENATE	109
11.1	LEAVES SIMPLE <i>and</i> ROUGH TO THE TOUCH		109
11.2	LEAVES SIMPLE <i>and</i> WITH A FEW SPINOSE TEETH		110
11.3	LEAVES SIMPLE <i>or</i> 1-FOLIOLATE: DOMATIA PRESENT.....		110

Outline to Groups 11 & 12

11.3.1	Leaves simple; domatia present	110
11.3.2	Leaves 1-foliolate; domatia present	111
11.4	LEAVES 1-FOLIOLATE: DOMATIA ABSENT.....	112
11.5	LEAVES SIMPLE: 1–5 SMALL GLANDS NEAR JUNCTION OF PETIOLE and LAMINA	113
11.6	LEAVES SIMPLE: LOWER SURFACE either HAIRLESS AND WHITISH or SCALY or DISTINCTLY HAIRY	114
11.6.1	Leaves hairless, lower surface whitish	114
11.6.2	Leaves hairless, lower surface scaly	114
11.6.3	Lower surface hairy, brown-green to rusty	115
11.6.4	Lower surface hairy, silvery-white	115
11.6.5	Lower surface hairy, green to pale green	115
11.6.6	Lower surface hairy, dull white, beige-white or grey to yellowish	116
11.7	LEAVES SIMPLE: TERMINAL BUDS COVERED BY SCALE LEAVES.....	118
11.7.1	Most leaves more than 8 cm long	118
11.7.2	Most leaves less than 8 cm long	119
11.8	LEAVES SIMPLE: LACKING THE SPECIAL FEATURES OF GROUPS 11.1 to 11.7	121
11.8.1	Most leaves less than 5 cm long	121
11.8.2	Leaves usually more than 5 cm long	122
11.8.2A	<i>Petioles usually more than 1 cm long</i>	122
11.8.2B	<i>Petioles usually less han 1 cm long</i>	124

Outline to Groups 11 & 12

GROUP 12	LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, ENTIRE and WITH TRANSLUCENT DOTS or STREAKS (clear or coloured dots or streaks)	127
12.1	<i>Either LOWER SURFACE OF LEAVES DENSELY SCALY or WITH STAR HAIRS or LEAVES WITH COLOURED DOTS</i>	127
12.1.1	Lower surface of leaves scaly (scales silvery or brownish)	127
12.1.2	Lower surface of leaves with star hairs	128
12.1.3	Leaves with coloured dots	128
12.2	PETIOLES VERY SHORT, OFTEN RED, TERMINAL BUDS SOFT-SCALY, REDDISH	130
12.3	TRANSLUCENT DOTS and/or STREAKS MEDIUM-SIZED TO LARGE (often visible without a lens, use lens for thick leaves)	131

Outline to Groups 12 & 13

Outline to Groups 12 & 13

12.3.1	Leaves usually more than 4 cm long	131
12.3.2	Leaves less than 4 cm long	134
12.4	TRANSLUCENT DOTS MINUTE, STEMS ± ZIGZAG and LEAVES 2-RANKED	135
12.5	TRANSLUCENT DOTS MINUTE, LEAVES 3-VEINED and/or DOMATIA PRESENT	137
12.5.1	Domatia present, leaves usually 3-veined	137
12.5.1A	Leaves hairless or almost so	137
12.5.1B	Leaves usually distinctly hairy, especially on lower veins	138
12.5.2	Domatia absent, leaves always 3-veined	139
12.5.2A	Species in Family Lauraceae	139
12.5.2B	Species in other families	140
12.6	TRANSLUCENT DOTS MINUTE, LEAVES GLAUCOUS ON LOWER SURFACE (Family Lauraceae)	140
12.6.1	Leaves hairy on lower surface, especially on veins	140
12.6.2	Leaves hairless or almost so on lower surface	141
12.7	TRANSLUCENT DOTS MINUTE, BASE OF LEAVES WITH 2 or MORE RAISED MARGINAL or SUBMARGINAL GLANDS	143
12.8	TRANSLUCENT DOTS MINUTE, LEAVES LACKING FEATURES OF GROUPS 12.4 to 12.7	144
12.8.1	Leaves less than 3 cm long	144
12.8.2	Leaves more than 3 cm long, hairy on lower surface, especially on veins	144
12.8.3	Leaves more than 3 cm long, hairless or almost so	145
12.8.3A	Species widespread in N.S.W. and Queensland	145
12.8.3B	Species restricted to northern N.S.W. and southern Queensland	147
12.8.3C	Species confined to New South Wales.....	148
12.8.3D	Species confined to Queensland	148

GROUP 13	LEAVES SIMPLE or 1-FOLIOLATE: ALTERNATE, ENTIRE, WITHOUT TRANSLUCENT DOTS		150
-----------------	--------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	------------

13.1	LEAVES WITH ONLY 1 VEIN or NO VEINS VISIBLE	150
13.1.1	Most leaves more than 4 cm long	150
13.1.2	Most leaves less than 4 cm long	151
13.2	LEAVES PALMATELY VEINED or WITH 2 or MORE LONGITUDINAL VEINS	152

Outline to Group 13

13.2.1	Leaves palmately veined and ± broad-ovate	152
13.2.2	Leaves with 2 or more longitudinal veins <i>and</i> usually less than 7 cm long	152
13.2.3	Leaves with 2 or more longitudinal veins <i>and</i> usually more than 7 cm long	154
13.2.3A	<i>Leaves relatively long and narrow</i>	154
13.2.3B	<i>Leaves broader and flowers in globose heads</i>	154
13.2.3C	<i>Leaves broader and flowers in elongated spikes</i>	155
13.3	LEAVES either TRIANGULAR and/or 3-VEINED AT BASE or WITH 1 or 2 BASAL, PETIOLAR or APICAL GLANDS or SEVERAL SCATTERED MARGINAL GLANDS	156
13.3.1	Leaves triangular and/or 3-veined at base	156
13.3.2	Leaves with <i>either</i> 2 basal glands <i>or</i> scattered marginal glands <i>or</i> with 2 petiolar glands	157
13.3.3	Leaves with 1 basal or 1 apical gland	158
13.4	LOWER SURFACE OF LEAVES AND YOUNG STEMS either WITH SURFACE GLANDS or VESICULAR HAIRS or SCALES	159
13.4.1	Surface glands present.	159
13.4.2	Coloured scales present	159
13.4.3	Vesicular hairs present	159
13.5	LEAVES 1-FOLIOLATE	160
13.6	LEAVES SIMPLE, DOMATIA PRESENT	160
13.7	MILKY LATEX IN PETIOLES or YOUNG STEMS (visible when broken or cut)	162
13.7.1	Most leaves more than 7 cm long	162
13.7.2	Most leaves less than 7 cm long.....	163
13.8	LEAVES DENSELY HAIRY ON BOTH SURFACES	164
13.9	LEAVES WITH UPPER SURFACE ± HAIRLESS and LOWER SURFACE DENSELY HAIRY	166
13.9.1	Most leaves less than 7 cm long	166
13.9.1A	<i>Lower surface with silvery hairs.....</i>	166
13.9.1B	<i>Lower surface with rusty hairs.....</i>	166
13.9.1C	<i>Lower surface with whitish or greyish or yellowish hairs.....</i>	167
13.9.2	Most leaves more than 7 cm long	169
13.10	LEAVES either PSEUDO-PINNATE or STRONGLY 2-RANKED or LOWER SURFACE GREY, YELLOWISH GREY or YELLOWISH GREEN	170
13.10.1	Most leaves less than 3 cm long	170
13.10.2	Most leaves more than 3 cm long	171

Outline to Groups 13 & 14

13.11	TERMINAL BUDS SCALY or APPEARING SCALY (buds covered by scale leaves or overlapping scale-like stipules)	174
13.11.1	Leaves rounded or cordate at base	174
13.11.2	Leaves gradually tapered into petiole	175
13.11.2A	<i>Leaves small, usually less than 4 cm long</i>	175
13.11.2B	<i>Leaves more than 4 cm long and relatively narrow</i>	175
13.11.2C	<i>Leaves more than 4 cm long, broader and petiole distinct</i>	176
13.12	LEAVES LACKING SPECIAL FEATURES OF GROUPS 13.1 TO 13.11.....	178
13.12.1	Leaf laminae mostly less than 5 cm long	178
13.12.1A	Petioles usually less than 5 mm long.....	178
13.12.1B	Petioles usually more than 5 mm long.....	179
13.12.2	Leaf laminae mostly more than 5 cm long,.....	180
13.12.2A	Petioles more than 3 cm long.....	180
13.12.2B	Leaves narrow, usually relatively long and lateral veins 20–40 pairs.....	181
13.12.2C	Leaves narrow, usually relatively long and lateral veins 13–20 pairs.....	182
13.12.2D	Leaves narrow, usually relatively long and lateral veins 3–12 pairs.....	183
13.12.2E	Leaves broader, petioles distinct, lateral veins >15 pairs.....	184
13.12.2F	Leaves broader, petioles distinct, lateral veins 4–15 pairs; leaves firm to stiff.....	185
13.12.2G	Leaves broader, petioles distinct, lateral veins 4–15 pairs; leaves soft.....	186

GROUP 14	LEAVES SIMPLE or 1-FOLIOLATE: OPPOSITE, MARGINS TOOTHED, CRENATE or LOBED		189
----------	------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------	-----

14.1	LEAVES LOBED or WITH A FEW IRREGULAR TEETH	189
14.2	LEAVES REGULARLY TOOTHED or CRENATE; STIPULES INTERPETIOR	191
14.3	LEAVES REGULARLY TOOTHED or CRENATE; WITH NUMEROUS SURFACE GLANDS	192
14.4	LEAVES REGULARLY TOOTHED or CRENATE, LEATHERY and WITH STIFF TEETH	193
14.5	LEAVES REGULARLY TOOTHED or CRENATE and 3-VEINED FROM BASE	194
14.6	LEAVES REGULARLY TOOTHED or CRENATE and LATERAL VEINS >10 PAIRS	194
14.7	LEAVES REGULARLY TOOTHED or CRENATE and LATERAL VEINS 4–10 PAIRS	195
14.7.1	Apex of leaves and/or teeth blunt or bluntly toothed	195
14.7.2	Apex of leaves and teeth acute or sharply pointed	196

Outline to Groups 15 & 16

GROUP 15
**LEAVES 1-FOLIOLATE: OPPOSITE, MARGINS ENTIRE
(leaves mostly with translucent dots)**


198

15.1	LEAVES AROMATIC WHEN CRUSHED (Family Rutaceae)	198
15.1.1	Species in Vic., N.S.W. and Queensland	198
15.1.2	Species confined to Queensland	200
15.2	LEAVES NOT AROMATIC WHEN CRUSHED	200


GROUP 16
**LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE,
WITH TRANSLUCENT DOTS (oil or oil-like dots)**


202

16.1	LEAVES STRONGLY 3-VEINED FROM NEAR BASE	202
16.1.1	Lower surface of mature leaves hairless (or almost so)	202
16.1.1A	<i>Species in N.S.W. and Queensland</i>	202
16.1.1B	<i>Species confined to Queensland</i>	202
16.1.2	Lower surface of mature leaves hoary	203
16.1.3	Lower surface of mature leaves distinctly hairy	203
16.2	LEAVES WITH INTRAMARGINAL VEINS; LEAVES MOSTLY BLUNT or WITH AN ABRUPT SHORT POINT (Family Myrtaceae)	204
16.2.1	Most leaves large, usually more than 5 cm long	204
16.2.2	Most leaves small, usually less than 5 cm long	205
16.3	LEAVES WITH INTRAMARGINAL VEINS <i>and</i> YOUNG STEMS HAIRY (Family Myrtaceae)	206
16.4	LEAVES WITH INTRAMARGINAL VEINS <i>and</i> STEMS <i>and</i> LEAVES HAIRLESS (Family Myrtaceae)	208
16.4.1	Translucent dots obscure or very sparse	208
16.4.2	Translucent dots distinct; leaves mostly narrow <i>and</i> long <i>and</i> lateral veins usually >30 pairs	209
16.4.3	Translucent dots distinct; leaves usually broader <i>and</i> lateral veins mostly 6–30 pairs	210
16.4.3A	<i>Lateral veins usually 21–30 pairs</i>	210
16.4.3B	<i>Lateral veins usually 13–20 pairs</i>	211
16.4.3C	<i>Lateral veins usually less than 13 pairs</i>	212
16.5	LEAVES <i>neither</i> 3-VEINED <i>nor</i> WITH REGULAR INTRAMARGINAL VEINS	214
16.5.1	Leaves aromatic when crushed	214
16.5.2	Leaves not aromatic when crushed.....	217
16.5.2A	<i>Axillary buds solitary in axil of leaves</i>	217
16.5.2B	<i>Axillary buds 2–4 in axil of leaves</i>	218

GROUP 17	LEAVES SIMPLE: OPPOSITE, MARGINS ENTIRE, WITHOUT TRANSLUCENT DOTS		220
17.1	MISTLETOES See APPENDIX A, Page 241		
17.2	DOMATIA PRESENT.....		220
17.2.1	Leaves with mostly >5 pairs of lateral veins (leaves mostly >5 cm long)		220
17.2.2	Leaves with 1–5 pairs of lateral veins (leaves often <5 cm long)		222
17.3	DOMATIA ABSENT: LEAVES WITH 1–5 PAIRS OF LATERAL VEINS AND MOST LEAVES <5 cm LONG		224
17.3.1	.Stipules absent or if present not interpetiolar		224
17.3.2	Stipules interpetiolar		225
17.4	DOMATIA ABSENT: LEAVES 1-VEINED or WITH 3 OR MORE VEINS FROM NEAR BASE or WITH INTRAMARGINAL VEINS		227
17.4.1	Leaves 1-veined or with 3 or more veins from near base		227
17.4.2	Leaves with intramarginal veins		227
17.5	DOMATIA ABSENT: LEAVES WITH 6–30 PAIRS OF LATERAL VEINS.....		228
17.5.1	Milky latex present.....		228
17.5.2	Stipules interpetiolar		229
17.5.3	Bark on twigs pulling away in long strips, very tough		231
17.5.3A	<i>Lower surface of leaves densely hairy</i>		231
17.5.3B	<i>Lower surface of leaves hairless or ± hairless</i>		232
17.5.4	Resting buds prominent, scaly; scale leaves hairless except for hairs along margins		233
17.5.5	Leaves usually more than 5 cm long.....		233
17.5.5A	<i>Lower surface of leaves covered in minute scales</i>		233
17.5.5B	<i>Lower surface of leaves densely hairy</i>		233
17.5.5C	<i>Lower surface of leaves hairless or ± hairless; leaves leathery to stiff</i>		235
17.5.5D	<i>Lower surface of leaves hairless or ± hairless; leaves soft to firm</i>		237
17.5.6	Leaves mostly more than 5 cm long (usually soft to firm)		239

APPENDIX A - Mistletoes in Rainforests



241